

# Contents

## Letters to the Editor

Magnetohydrodynamic parametric instabilities driven by a standing Alfvén wave in the planetary magnetosphere

Chian A.C.-L., Oliveira L.P.L.

Is the edge-on galaxy NGC 4762 actually barred?

Wozniak H.

First detection of CO ( $J = 0 \rightarrow 1$ ) absorption at cosmological distances ( $z = 0.247$ )

Wiklind T., Combes F.

The impact of a high velocity cloud onto the galactic disk

Kerp J., Lesch H., Mack K.-H.

Strange stars are not likely to be sources of gamma-ray bursts

Kluźniak W.

Investigation of the spatial clustering of quasars using the two-point correlation function

Komberg B.V., Kravtsov A.V., Lukash V.N.

The diffuse galactic emission at  $6.2 \mu\text{m}$

Ristorcelli I., Giard M., Mény C., Serra G., Lamarre J.M., Le Naour C., Léotin J., Pajot F.

Structure and stability of the X-ray corona of Algol

Ottmann R.

On the nickel abundance in hot hydrogen-rich white dwarfs

Werner K., Dreizler S.

G 272.2-3.2: a centrally filled and possibly young SNR discovered by ROSAT

Greiner J., Egger R., Aschenbach B.

New evidence for mergers in compact groups of galaxies

Caon N., Capaccioli M., D'Onofrio M., Longo G.

Detection of [C I] 492 GHz emission from a high-latitude translucent cloud

Stark R., van Dishoeck E.F.

Evidence for a low-luminosity X-ray pulsar associated with a supernova remnant

Schwenker O.

The magnetic field in the dense gas bordering W3(OH)

Güsten R., Fiebig D., Uchida K.I.

## Cosmology

Modern high-resolution shock-capturing methods for structure evolution in cosmology

Quilis V., Ibáñez J.M., Sáez D.

Mixed fractal models for the distribution of galaxies

Dubrulle B.

A gravitational lens model for B 1422+231

Kormann R., Schneider P., Bartelmann M.

"Redshift survey" up to  $b_J = 27$ : distance of gravitational arcs behind Abell 370

Kneib J.-P., Mathez G., Fort B., Mellier Y., Soucail G., Longaretti P.-Y.

## Extragalactic astronomy

21 cm observations of galaxies in the NW region of the Pisces-Perseus-Supercluster near the Galactic Plane

Seeberger R., Huchtmeier W.K., Weinberger R.

Hot spot 3C 20 west: an optical synchrotron source

Hiltner P.R., Meisenheimer K., Röser H.-J., Laing R.A., Perley R.A.

Far-UV observations of the whirlpool galaxy M 51

Bersier D., Blecha A., Golay M., Martinet L.

A simultaneous radio-optical flare in BL Lacertae

Tornikoski M., Valtaoja E., Teräsanta H., Okyudo M.

Excitation and kinematics of the central molecular clouds of NGC 1808

Aalto S., Booth R.S., Black J.H., Koribalski B., Wielebinski R.

New X-ray bright BL Lacertae objects from the ROSAT All-Sky Survey

Bade N., Fink H.H., Engels D.

Neutral hydrogen observations of elliptical galaxies

Huchtmeier W.K.

Distribution and motions of H I in the Sa galaxies NGC 1169 and NGC 3898

van Driel W., van Woerden H.

Can shock models explain radio outbursts of AGN at millimeter and centimeter wavelengths?

Lainela M.

The vertical stellar distribution in NGC 6504: detection of a thick disk

van Dokkum P.G., Peletier R.F., de Grijs R., Balcells M.

(RN) Gravitational microlensing by the halo of the Andromeda galaxy

Jetzer P.

New photometric distances for dwarf galaxies in the Local Volume

Karachentsev I.D., Tikhonov N.A.

- Extension of the Magnier et al. 1992 catalogue of objects in the field of M 31  
*Haiman Z., Magnier E., Lewin W.H.G., Lester R.R., van Paradijs J., Hasinger G., Pietsch W., Supper R., Trümper J.* 725
- CO emission in NGC 4631: evidence for a mild starburst  
*Golla G., Wiebeinski R.* 733
- A further discussion on quasar-galaxy associations from gravitational lensing  
*Wu X.-P.* 748
- Galactic models with massive coronae. IV. The Andromeda galaxy, M 31  
*Tenjes P., Haud U., Einasto J.* 753
- An extragalactic database. V. Conversion of apparent B magnitudes to a standard system  
*Paturel G., Bottinelli L., Gouguenheim L.* 768
- Time delay controversy on QSO 0957+561 not yet decided  
*Pelt J., Hoff W., Kayser R., Refsdal S., Schramm T.* 775
- Galactic structure and dynamics**
- Hydrodynamic simulations of open normal spiral galaxies: OLR, corotation and 4/1 models  
*Patsis P.A., Hiotelis N., Contopoulos G., Grosbøl P.* 46
- Star formation by infall of high velocity clouds on the galactic disk  
*Lépine J.R.D., Duvert G.* 60
- The non-linear galactic dynamo. I. Field strength and vertical parity  
*Schultz M., Elstner D., Rüdiger G.* 72
- The spectrum of Sgr A\* and its variability  
*Duschl W.J., Lesch H.* 431
- Spatial distribution of old neutron stars. Semianalytical considerations  
*Prokhorov M.E., Postnov K.A.* 437
- On the nova rate in the Galaxy  
*Della Valle M., Livio M.* 786
- On the characteristics and origin of the expansion of the local system of young objects  
*Comerón F., Torra J., Gómez A.E.* 789
- How faithful are N-body simulations of disc galaxies?  
*Romeo A.B.* 799
- Stellar clusters and associations**
- The globular cluster NGC 6652  
*Ortolani S., Bica E., Barbay B.* 444
- (RN) The chemical compositions of the open clusters Be 94 and NGC 457  
*Dufton P.L., Fitzsimmons A., Rolleston W.R.J.* 449
- Formation, structure and evolution of stars**
- (RN) Do star forming regions have different binary fractions?  
*Durisen R.H., Sterzik M.F.* 84
- Incorporating the atmosphere in stellar structure models: the solar case  
*Morel P., van 't Veer C., Provost J., Berthomieu G., Castelli F., Cayrel R., Goupil M.J., Lebreton Y.* 91
- Application of the  $V/V_{\max}$  test to Phebus gamma-ray bursts  
*Dezalay J.-P., Atteia J.-L., Barat C., Talon R., Sunyaev R., Terekhov O., Kuznetsov A., Dyachkov A.* 103
- Multiperiodicity and pulsation characteristics of  $\beta$  Cephei  
*Aerts C., Mathias P., Gillet D., Waelkens C.* 109
- Numerical methods for AGB evolution  
*Wagenhuber J., Weiss A.* 121
- Mode identification with the moment method in four multiperiodic  $\beta$  Cephei stars: KK Velorum,  $\nu$  Eri,  $\beta$  CMa, and V 348 Norma  
*Aerts C., Waelkens C., De Pauw M.* 136
- Images of the GG Tauri rotating ring  
*Dutrey A., Guilloteau S., Simon M.* 149
- On the nature of the outburst stage in the symbiotic binary AX Persei  
*Skopal A.* 453
- A "cool" PG 1159 star discovered by the Hamburg Schmidt Survey: NLTE analysis of HS 0704+6153  
*Dreizler S., Werner K., Jordan S., Hagen H.* 463
- Reynolds stresses and differential rotation in Boussinesq convection in a rotating spherical shell  
*Rieutord M., Brandenburg A., Mangeney A., Drossart P.* 471
- A spectroscopic and photometric study of the giant star HD 101841: a very short-period binary system  
*De Medeiros J.R., Duquenois A., Lèbre A., Burki G.* 481
- Incidence of X-ray sources among magnetic chemically peculiar stars  
*Leone F.* 486
- A magnetic explanation for the rapid burster  
*Kuijpers J., Kuperus M.* 491
- Hercules X-1 pulse profile simulation  
*Panchenko I.E., Postnov K.A.* 497
- Statistics of PSR 1133+16 micropulse emission determined at widely spaced frequencies  
*Smirnova T.V., Tul'bashev S.A., Boriakoff V.* 807
- The  $\delta$  Scuti instability strip: effects of opacity enhancement and wave reflections  
*Li Y., Stix M.* 815
- Near simultaneous BV photometry and H $\alpha$  spectroscopy of the RS Canum Venaticorum binary DM Ursae Majoris  
*Mohin S., Raveendran A.V.* 824
- New binary stars discovered by lunar occultations  
*Richichi A., Calamai G., Leinert C.* 829
- Observations of the pulsar PSR 1509-58 with the SIGMA telescope  
*Laurent P., Paul J., Claret A., Caraveo P.A., Schmitz-Fraysse M.C., Jourdain E., Roques J.P., Mandrou P., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Sridikov A., Vikhlinin A., Dyachkov A., Khavenson N.* 838
- Nucleosynthesis in neutrino-driven winds from protoneutron stars. I. The  $\alpha$ -process  
*Witti J., Janka H.-T., Takahashi K.* 841
- Nucleosynthesis in neutrino-driven winds from protoneutron stars. II. The r-process  
*Takahashi K., Witti J., Janka H.-T.* 857
- The pulsations of yellow semi-regular variables. II. The F supergiant in the high-latitude binary BL Telescopii  
*Zsoldos E.* 870
- Apsidal motion in the eclipsing binary CO Lacertae  
*Wolf M.* 875

Nonlinear, nonradial, isentropic oscillations of stars: Hamiltonian formalism  
*Van Hoolst T.*

### Stellar atmospheres

$\beta^1$  Monocerotis: oscillations and chromospheric structure  
*Marañón Di Leo C., Colombo E., Ringuet A.E.*

A NLTE study of neutral boron in solar-type stars  
*Kiselman D.*

Unusual flares at 360 and 609 MHz in the RS Canum Venaticorum-system II Pegasi observed with the WSRT: coherent emission from II Pegasi  
*van den Oord G.H.J., de Bruyn A.G.*

Possible detection of a stellar flare-generated particle beam in polarized light  
*Saar S.H., Martens P.C.H., Huovelin J., Linnaluoto S.*

Short time scale monitoring of SiO sources  
*Pijpers F.P., Pardo J.R., Bujarrabal V.*

The shock wave propagation effects in BL Herculis. I. The H $\alpha$  profile  
*Gillet D., Burki G., Chatel A., Duquennoy A., Lèbre A.*

Effects of Compton scattering in atmospheres of hot white dwarfs  
*Madej J.*

Calculations of the outflow velocity of envelopes of cool giants  
*Habing H.J., Tignon J., Tielens A.G.G.M.*

New radio recombination maser features and CO observations in MWC 349  
*Martín-Pintado J., Neri R., Thum C., Planesas P., Bachiller R.*

### Diffuse matter in space (including H II regions and planetary nebulae)

The large scale distribution of PAHs in the Galaxy  
*Giard M., Lamarre J.M., Pajot F., Serra G.*

Further observations of the central star of LoTr 5  
*Jasniewicz G., Acker A., Mauron N., Duquennoy A., Cuyper J.*

X-ray emission from wind blown interstellar bubbles. I. ROSAT observations of NGC 6888  
*Wriggle M., Wendker H.J., Wisotzki L.*

Kinematics of supernova remnants in the Small Magellanic Cloud. I. The SNRs inside the nebular complex N 19, the SNR 0046-73.5 and the SNR 0050-72.8  
*Rosado M., Le Coarer E., Georgelin Y.P.*

Erratum Refractive interstellar scintillations and low frequency variability: a detailed analysis using measured source structures

*Spangler S.R., Eastman W.A., Gregorini L., Mantovani F., Padrielli L.*

The structure of the interstellar gas towards stars in the globular cluster M 55  
*Lyons M.A., Bates B., Kemp S.N.*

Spectral analysis of the planetary nebula K 1-27 and its very hot hydrogen-deficient central star  
*Rauch T., Köppen J., Werner K.*

DR 21(OH), a cluster in the making. I. Observations in carbon monosulphide and methanol  
*Richardson K.J., Sandell G., Cunningham C.T., Davies S.R.*

H I voids around filled-center supernova remnants  
*Wallace B.J., Landecker T.L., Taylor A.R.*

Submillimetre polarimetric mapping of DR 21 and NGC 7538-IRS 11: tracing the circumstellar magnetic field  
*Minchin N.R., Murray A.G.*

GHRS observations of Sirius-A. I. Interstellar clouds toward Sirius and Local Cloud ionization  
*Lallement R., Bertin P., Ferlet R., Vidal-Madjar A., Bertaux J.L.*

High spatial resolution observations of H<sub>2</sub> vibrational fluorescence in NGC 2023  
*Field D., Gerin M., Leach S., Lemaire J.L., Pineau des Forêts G., Rostas F., Rouan D., Simons D.*

Interstellar dust in the heliosphere  
*Grün E., Gustafson B., Mann I., Baguhl M., Morfill G.E., Staubach P., Taylor A., Zook H.A.*

The distance to the Complex C of high-velocity halo clouds  
*de Boer K.S., Altan A.Z., Bomans D.J., Lilienthal D., Moehler S., van Woerden H., Wakker B.P., Bregman J.N.*

ROSAT observation of the giant H II region RCW 49  
*Belloni T., Mereghetti S.*

### The Sun

Effects of non-parallel propagation on p- and f-modes  
*Jain R., Roberts B.*

Surface effects of a magnetic field on p-modes: two layer atmosphere  
*Jain R., Roberts B.*

Non-linear dynamics of the solar granulation: a first approach  
*Hanslmeier A., Nesis A.*

New contribution functions for Zeeman split spectral lines  
*Solanki S.K., Bruls J.H.M.J.*

Magnetohydrodynamic waves in coronal flux tubes  
*Goedbloed J.P., Halberstadt G.*

(RN) Dependence of the He/H $\alpha$  emission ratio on brightness, temperature, and structuring of prominences  
*Stellmacher G., Wiehr E.*

Periodicities in solar radius measurements  
*Gavryusev V., Gavryuseva E., Delache P., Laclare F.*

On the fluctuation of wing strengths as diagnostics of the solar atmosphere  
*Kneer F., Nolte U.*

(RN) Some common characteristics of the basic components of the solar radio emission and confirmation of a fourth basic component  
*Ji S.C., Cao W.D., Chen G.Q., Yang K.P.*

Fine structures in solar radio emission at decametre wavelengths  
*Barrow C.H., Zarka P., Aubier M.G.*

(RN) On the shifts of magnesium Rydberg lines in the solar infrared spectrum  
*Hoang-Binh D.*

Relativistic type III solar radio bursts  
*Poquérousse M.*

- On the strength of solar intra-network fields  
*Keller C.U., Deubner F.-L., Egger U., Fleck B., Povel H.P.* 626
- On the amplitude modulation of low-degree solar p-modes  
*Gabriel M., Lazrek M.* 635
- Temporal and spatial variation of physical parameters in a quiescent prominence  
*Balthasar H., Wiehr E.* 639
- Flux corrected transport method for MHD plasma: description of the numerical algorithm and tests  
*Murawski K., Goossens M.* 943
- Excitation of nonlinear MHD waves by foot-point motions  
*Murawski K., Goossens M.* 952
- An analytical study of simple waves in thin magnetic flux tubes  
*Cheng J.*
- The solar system**
- Evolution of the C<sub>2</sub> spectrum in Halley's inner coma: evidence for a diffuse source  
*Rousselot P., Clairemidi J., Moreels G.* 645
- (RN) Disk brightness temperature of the planets at 43 GHz (and 43 GHz flux densities of some continuum sources)  
*Greve A., Steppe H., Graham D., Schalinski C.J.* 654
- Thermochemistry of cometary nuclei. I. The Jupiter family case  
*Tancredi G., Rickman H., Greenberg J.M.* 659
- The complete polarization state of Io-related radio storms from Jupiter: a statistical study  
*Dulk G.A., Leblanc Y., Lecacheux A.* 683
- Impacts of meteoroids larger than 1 m into the Earth's atmosphere  
*Cepilecha Z.* 967
- Celestial mechanics and astrometry**
- Relativistic theory for picosecond time transfer in the vicinity of the Earth  
*Petit G., Wolf P.* 971
- Physical and chemical processes**
- Computation of cosmic-ray acceleration by Itô's stochastic differential equations  
*Krülls W.M., Achterberg A.* 314
- Resolvent method: exact solutions of half-space transport problems by elementary means  
*Ivanov V.V.* 328
- Thin accretion disks near the critical luminosity: the effect of turbulent energy transport  
*Heinrich O.M.* 338
- Branching fractions for the transition  $3s^23p^3(^4S)4s^3S \rightarrow 3s^23p^4^3P$  of neutral sulphur  
*Ricci E., Mazzoni M.* 344
- Lifetimes and oscillator strengths for Y III  
*Maniak S.T., Curtis L.J., Theodosiou C.E., Hellborg R., Johansson S.G., Martinson I., Irving R.E., Beideck D.J.* 978
- Interactions of cosmic ray nuclei  
*Mannheim K., Schlickeiser R.* 983
- The production of turbulence by gravitational instabilities in self-gravitating differentially rotating disks  
*Ebert R.* 997
- Instruments, data processing, and computational methods**
- Erratum A new calibration of Geneva photometry in terms of  $T_e$ , log g and mass for B stars  
*North P., Nicolet B.* 348
- (RN) On the systematic accuracy of the equatorial UBVR standard stars  
*Oja T.* 1006
- Hough transform for robust regression and automated detection  
*Ballester P.* 1011
- Phase-referenced visibility averaging in optical long-baseline interferometry  
*Quirrenbach A., Mozurkewich D., Buscher D.F., Hummel C.A., Armstrong J.T.* 1019
- Observations of atmospheric noise fluctuations with a metre-baseline interferometer in the 13–17 GHz band  
*Robson M., O'Sullivan C.M.M., Scott P.F., Duffett-Smith P.J.* 1028
- Preview of accepted papers (May 1994)** 1033

